



ENERGY STAR[®] Statement of Energy Performance

82

ENERGY STAR[®]
Score¹

DNRC Aviation Support Office

Primary Property Function: Office
Gross Floor Area (ft²): 42,541
Built: 1960

For Year Ending: April 30, 2013
Date Generated: April 22, 2014

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address
DNRC Aviation Support Office
2800 Airport Road
Helena, Montana 59620

Property Owner
Montana Department of Environmental
Quality
1520 E 6th Ave
Helena, MT 59601-4541
406-444-6460

Primary Contact
Ronald Pecarina
1520 E 6th Ave
Helena, MT 59620
4064446590
rpecarina@mt.gov

Property ID: 4030114

Energy Consumption and Energy Use Intensity (EUI)

Site EUI		Annual Energy by Fuel		National Median Comparison	
87.5 kBtu/ft ²	Electric - Grid (kBtu)	427,246	(12%)	National Median Site EUI (kBtu/ft ²)	132.7
	Natural Gas (kBtu)	3,296,614	(88%)	National Median Source EUI (kBtu/ft ²)	171.1
				% Diff from National Median Source EUI	-34%
Source EUI		Annual Emissions			
112.9 kBtu/ft ²		Greenhouse Gas Emissions (MtCO ₂ e/year)		222	

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

Signature: _____ Date: _____

Licensed Professional

Ronald Pecarina
1520 E 6th Ave
Helena, MT 59620
4064446590
rpecarina@mt.gov



Professional Engineer Stamp
(if applicable)